To: Smith, John[Smith.John@epa.gov]

From: Weber, Rebecca

Sent: Sun 4/28/2013 11:55:44 AM Subject: Re: Two week update

Thx a lot john. Looks like ozone mon was only unexpected issue....in a way. I suspect busy week to come. Thx for covering things for me. Looks like u did a great job!!!

From: Smith, John

Sent: Friday, April 26, 2013 4:12:31 PM

To: Weber, Rebecca

Subject: Two week update



Welcome Back!

A hard copy of the attachment is in a folder with some other background documents as an update on developments on significant issues while you were out

Update on AWMD Issues

Non-Responsive

Non-Responsive

Bridgeton/Westlake Landfill

- Congressman Clay briefing 4/15 MDNR and Missouri AG took the lead on issues related to Bridgeton. That made for a clear distinction on which agency had the lead for the two sites. The congressman's DC office invited Kat Logan-Smith and Chris Smith from Missouri coalition to participate on call. The congressman's St. Louis office had a few differences with the Coalition on description of community and local government reaction.
- □ □ □ □ □ □ St. Louis County reissued a performance test extension letter to Bridgeton Landfill that included a reference to MDNR and state authority clearing up an issue we had questioned.
- • • MDNR is evaluating whether leacheate pre-treatment should be considered hazardous waste treatment,
- □ □ □ □ □ □ ENSV and APDB have obtained more information about the basis for air screening levels being used by MDHSS.

•□□□□□□□ OPA will be scheduling an update briefing for congressional in the next two w	eeks
• □ □ □ □ □ □ □ ASPECT report still under review	
• 🗆 🗆 🗅 🗅 The Missouri Atty General has scheduled trial dates of May 14 and 15 on complaint that has been filed	
Non-Responsive	
	İS

Non-Responsive

John J. Smith, Deputy Director Air and Waste Management Division EPA Region 7

11201 Renner Blvd Lenexa, KS 66219 913/551-7845 Cell 913/645-4672